

USING EXPERIMENTS TO INFORM THE
PRIVATIZATION/DEREGULATION
MOVEMENT IN ELECTRICITY

*Stephen J. Rassenti, Vernon L. Smith,
and Bart J. Wilson*

At the University of Arizona, electronic trading (now commonly known as e-commerce) in the experimental laboratory began in 1976 when Arlington Williams conducted the initial experiments testing the first electronic “double-auction” trading system, which he had programmed on the Plato operating system. The term “double auction” refers to the oral bid-ask sequential trading system used since the 19th century in stock and commodity trading on the organized exchanges. This system of trading has been used in economics experiments since the 1950s, and is extremely robust in yielding convergence to competitive equilibrium outcomes (Smith 1962, 1982a). Since information on what buyers are willing to pay, and sellers are willing to accept, is dispersed and strictly private in these experiments, the convergence results have been interpreted (Smith 1982b) as supporting F.A. Hayek’s thesis “that the most significant fact about

Cato Journal, Vol. 21, No. 3 (Winter 2002). Copyright © Cato Institute. All rights reserved.

Stephen J. Rassenti is Professor of Economics at the Interdisciplinary Center for Economic Science (ICES) at George Mason University. Vernon L. Smith is Professor of Economics and Law, and Bart J. Wilson is Associate Professor of Economics, at ICES.

They acknowledge the influence and support of the many people and organizations who made possible the research program on which this paper is based: the Arizona Corporation Commission (Commissioners: Richard Kimball, Junius Hoffman, and Marianne Jennings) who in 1984 had the vision to fund our first efforts to study electricity deregulation; Penelope Brooke, who hosted Smith’s tenure as a C.S. First Boston/Victoria University Visiting Fellow consultant on electric power reform in New Zealand, 1991; Prospect Electricity (now Integral Energy), and our host, John McQuarrie, in Rassenti and Smith’s first visit to Australia as consultants, 1993; the National Grid Management Council (Australia), Hugh Outhred and John Kaye (NSW School of Electrical Engineering), who hosted our second visit, 1996; Hugh Outhred, who has continued to provide inspiration to us and to many other U.S. nationals in this country’s deregulation debate, and specifically for his many valuable comments and corrections on an earlier draft of this paper. We also thank Lewis Evans of Victoria University, New Zealand, for providing us with a recent update of electricity restructuring in that country, and for his helpful comments on this paper.

this (price) system is the economy of knowledge with which it operates, or how little the individual participants need to know in order to be able to take the right action” (Hayek 1945: 526–27).

As with all first efforts at automation, the software developed by Williams allowed double-auction trading experiments that previously had kept manual records of oral bids, asks and trades, to be computerized.¹ That is, it facilitated real-time public display of participant messages, recording of data, and greater experimental control of a process defined by preexisting technology. It did not modify that technology in fundamental ways. This event unleashed a discovery process commonplace in the history of institutional change: the joining of a new technology to an incumbent institution causes entirely new, heretofore unimaginable institutions to be created spontaneously, as individuals are motivated to initiate procedural changes in the light of the new technology. Electronic exchange made it possible to vastly reduce transactions cost—the time and search costs required to match buyers and sellers, to negotiate trades, including agreements to supply transportation and other support services. More subtly it enabled this matching to occur on vastly more complicated message spaces, and allowed optimization and other processing algorithms to be applied to messages, facilitating efficient trades among agents that had been too costly to be consummated with older technologies. Moreover, resource allocation problems thought to require hierarchical command and control forms of coordination, as in regulated pipeline and electric power networks, became easily susceptible to self-regulation by entirely new decentralized pricing and property right regimes. Coordination economies in complex networks could be achieved at low transactions cost by independent agents, with dispersed information, integrated by a computerized market mechanism. This realization then laid the basis for a new class of experiments in which the laboratory is used to test-bed proposed new market mechanisms to enable a better understanding of how such mechanisms might function in the field, and to create a demonstration and training tool for potential participants and practitioners who become part of the “proving” process. Of course, once adopted, this modification and proving process continues in light of field experience.

We provide a short history of the application of the conception of

¹Williams (1980) reports comparisons of the oral and electronic auctions. He found that oral auctions converged more rapidly for inexperienced subjects, but for experienced subjects (one previous session) the two systems were indistinguishable.

smart computer assisted markets to the design of electricity markets here and abroad.

The Privatization/Deregulation Movement in Electricity

We use the term “privatization” to describe generically the process of reform of foreign government command forms of organization of the electric industry. In *all* cases major components of the industry have *not* had their ownership transferred from public to private entities. Reform has focused on the use of decentralized spot and futures markets to provide price signals to improve the short and longer term management of the industry. The term “deregulation” applies to electricity reform in the United States, where 50 state and one federal regulatory body have regulated an industry already predominantly owned privately, but *not* decentralized except through recent reforms in some regional transmission systems that are still very much in transition.

The Arizona Utility Study

In 1984 the Arizona Corporation Commission (ACC) contracted with the University of Arizona experimental economics group to study alternatives to rate-of-return regulation of the utilities, with particular emphasis on electric power. The study consisted of two parts: incentive regulation (Cox and Isaac 1986) and deregulation (Rassenti and Smith 1986; also see Block, et al., 1985). Only the second part will be discussed here since this was the study that led to a long and continuing research program, encouraged by the privatization/decentralization movement abroad, with applications first in New Zealand, then Australia, and most recently in the United States.

Recommendations

The deregulation portion of the study led to many detailed recommendations that can be briefly summarized in the following key points (see Rassenti and Smith 1986):

1. The energy (generation) and wires (transmission and distribution) businesses would be separated, with generator plants (gen-cos) spun off from parent integrated utilities through the issuance of separate ownership shares to form independent companies.
2. An economic dispatch center (EDC) would be formed that would operate a computerized spot auction market for deter-

mining prices and allocations based upon hourly location (node) specific offer price schedules submitted by gencos. The spot market would be constituted so as to facilitate and incentivize the eventual inclusion of demand side bidding by discos (distribution companies and any other commercial and industrial bulk or wholesale buyers). Thus, ultimately and ideally, prices would be determined in an hourly two-sided auction in which discos would submit location specific bids to buy energy delivered to their location just as gencos would submit offers to inject energy at their respective locations on the grid.

3. Discos and transcos (transmission companies) would not be protected by exclusive franchise permits, and would be subjected to the price discipline of potential, if not actual, entry.
4. Important functions of existing institutions would be preserved but operate through a computerized spot market bidding mechanism based on decentralized ownership of gencos.

By “existing institutions” we referred to optimization—historically, computerized dispatch based on the engineering cost characteristics of generators and the network of integrated utilities—joint ownership by utilities of shared transmission capacity, and power pooling rules for security (spinning) reserves. In the proposed competitive reorganization, optimization algorithms would not be applied to production and transmission “cost” as in the regulated, hierarchical, integrated utility, but to the offer supply schedules and bid demand schedules submitted to the computer-dispatch center. The algorithms would maximize the gains from exchange (rather than minimize engineering cost as under regulation) in response to the real-time decisions of all buyers and sellers in the wholesale market. This specification was motivated by the recognition that (1) supply cost is subjective and measured by the willingness to accept payment for energy produced on location, and (2) demand is subjective and measured by the willingness to pay for delivered energy, where both types of information express the particular *real-time circumstances* of individuals. Coordination was a consequence of a new form of property rights: (1) rules for processing messages generated by decentralized agents themselves empowered by rights to choose offers and bids; (2) contingency rules for accepting offers and bids based on their merit order (higher bids and lower offers have priority in the rank ordering of bids and of offers), but importantly *qualified* by technical and security constraints that are essential if each agent is to bear the *true opportunity cost* that the agent imposes on all others.

The term “property rights” as we shall use it, provides a guarantee

allowing action within the guidelines defined by the right. Such guarantees are against arbitrary reprisal in that they restrict punitive strategies that can be levied against actions taken by the rights holder. Such guarantees provide only limited certainty of protection. Most specifically, property rights, as a guarantee allowing action, do not guarantee outcomes, since outcomes depend upon the property rights of others, and in electricity markets, as we shall see, upon global constraints affecting local outcomes that must be honored if the system is to be efficient, dynamically stable, and to incentivize the direction and level of capital investment.

Defining Competitively Ruled Property Rights to Unique “Monopolistic” Facilities

It was the ACC project that alerted us to the existence of “cotenancy contracts” for the joint ownership and operation of some large generation and transmission facilities. For us this was an illuminating empirical discovery, since this institution, that we modified with competitive property right rules, offered the potential to render the concept of natural monopoly null and void. Thus, suppose a city demand center can be adequately served by a unique physical facility such as a pipeline or transmission line. Under American-style regulation it is decreed that an exclusive franchise will be awarded to a single owner of the facility, whose price will be set so as to regulate the owner’s rate of return on investment. Alternatively, in our proposed competitively ruled joint ownership property right regime it is decreed that (1) the facility must have two or more co-owners each having an agreed share of the rights to the capacity of the facility (In practice a common cotenancy contract rule is for each cotenant to receive capacity rights in proportion to his contribution to capital cost). Two additional competitive rules would allow (2) rights to be freely traded, leased or rented, and (3) new rights to be created by agreement to invest in capacity expansion by any subset of the co-owners, through unilateral action by any co-owner, or by outsiders if the existing owners resist expansion to meet increased demand. In historical practice cotenancy contracts had prohibited sale by individual rights holders without the consent of the other cotenants, and capacity expansion was allowed to occur only by joint agreement. The proposed new property rights structure creates multiple rights holders to compete in marketing downstream services utilizing the unique facility, and encourages new investment in response to increased demand. Subsequent to the ACC study, new research uncovered other examples of cotenancy contracts, a common one being the joint ownership of specialized print-

ing facilities by a consortium of newspapers in a city. Clearly, who prints the newspapers is a production issue potentially separable from the competition of newspapers for subscribers and advertising services. The courts repeatedly affirmed this principle when such cotenancy contracts attempted to include marketing and pricing conditions in what was ostensibly a shared production agreement (Reynolds 1990). Thus, our conception of a joint venture property right regime had already been well articulated in court cases involving newspapers. There was no new principle, only the question of how it might be reformulated for application to network industries.

This model of cotenancy as an instrument of competition was further elaborated in Smith (1988, 1993) and tested experimentally in the context of a natural gas pipeline network funded by the Federal Energy Regulatory Commission (Rassenti, Reynolds and Smith 1994). The model would also play a facilitative role in our consulting on privatization in New Zealand. But such discussions are far from culminating in a completed instrument, with many practical implementation difficulties remaining.²

Aftermath of the Arizona Study

By 1985 when the study report was filed and presentations made to the ACC, the political composition of the commission had altered, and the immediate impact of the recommendation for deregulation on Arizona policy was nil. By the time our final report was completed the commission was composed of new elected office holders and they considered our proposal to be impractical, idealistic and politically infeasible. Of course the commission's actions made the last claim a self-fulfilling truth. Unknown to us at the time, subsequent developments would reveal that this experience was a minor battle in a wider war for institutional change that would begin abroad but would ultimately spread to the United States, but with less success, we believe, than abroad.

Contrary to the position of the new commission, we considered our proposal eminently feasible in the electronic age, though in need of far more fundamental research, and resolved to undertake controlled experimental studies of various issues in the deregulation debate. Progress on this objective, however, was slow due to inadequate funding, and the fact that the cost of software development for the laboratory study of electronic trading in the context of electric networks

²Hugh Outhred (2001) notes that there is ongoing work in Australia under the NECA code-review process to explore practical implementations of network property rights (see www.neca.com.au).

was higher than for traditional forms of experimental research. Nevertheless, by 1987 we had conducted several pilot experiments in a six-node electric power network with three fixed inelastic nodal demand centers, and nine gencos (described in Rassenti and Smith 1986). The gencos, located at various nodes, submitted sealed offer price schedules each trading period to supply power over transmission lines whose energy losses were proportional to the square of energy injected. A valuable lesson from this unpublished research was the ease with which gencos could push up prices against inelastic demands by bulk buyers using a mechanism that did not permit demand-side bidding to implement consumer willingness to have deliveries interrupted conditional on price. This was our first brush with the important principle that competition is compromised in supply-side auctions in which buyers are passive and are unable through the mechanism to enter demand-side bid schedules. The California electricity market is now experiencing this principle in spades, but it was foreshadowed in the experience with privatization in England, and in other spot markets abroad and in the United States. We report experiments below that provide a rigorous demonstration that when the spot auction mechanism in common use around the world is supplemented by demand-side bidding it provides a property right regime that is a remarkably effective antitrust remedy.

Domestically, through the 1980s and into the 1990s, electric power would remain subject to American style rate-of-return regulation, while abroad government owned electric (and other) utilities were under political pressure to explore the use of markets for the management electrical energy allocations. Industry performance was seen as abysmal in the 1980s, causing countries such as Chile, the United Kingdom, and New Zealand to think the unthinkable: decentralization might be preferable to either government planning or direct regulation. But how might it be done?

How Experiments Were Used to Inform Privatization: New Zealand and Australia

Beginning in 1986 we initiated software development and a series of experiments to study mechanism design, industry structure, pricing, transmission and market power issues in electricity markets. (Rassenti and Smith 1986; Backerman, Rassenti, and Smith 1997; Backerman et al. 1997; Denton, Rassenti, and Smith 1998; Rassenti, Smith, and Wilson, 2000.) While this research was proceeding, one of the authors (Smith) consulted for the New Zealand Treasury in 1991

and two of us (Rassenti and Smith) in 1993, and also for Australia's Prospect Electricity in 1993 and National Grid Management Council in 1994. The impetus in New Zealand was our 1985 ACC report that fell unceremoniously on deaf ears in Arizona, but attracted attention abroad.

What Were the Questions?


The two following research questions, addressed in laboratory electricity network experiments after 1986, and motivated by our ACC study, provided the primary information base for informing our contribution to the privatization process in electricity down under.

1. Is decentralization feasible and, if so, is it efficient to combine decentralized property rights in energy supply with a computer coordinated spot market and optimization schemes for dispatching generators?
2. How is the answer to question 1 affected by demand-side bidding?

Before the first experimental observations were made it was an open question whether it was feasible to replace engineering cost minimization in large integrated utility hierarchies with independent gencos submitting node-specific asking price schedules, bulk buyers submitting node-specific bid price schedules, and allocations determined by algorithms maximizing the gains from exchange implied by these marginal bid/ask schedules and the physical characteristics (loss characteristics and capacity constraints) of the grid. Engineers and managers to whom we made presentations were overwhelming skeptical—in fact were openly hostile—that such a system could be relied upon. (“You can’t control electricity flows with markets—I know, because I’m an engineer.”) The conventional wisdom of economists had been stated as follows:

Generation and transmission are intimately and fundamentally related by the interconnections that the transmission system provides and the associated opportunities for area wide optimization . . . Because of these relationships, decisions either short-run or long-run, made at any point in a power system affect costs everywhere in the system. These effects raise potential externality problems. If a power system’s components are owned by more than one firm, it is crucial for the efficiency of short-run and long-run decision making that all owners of parts of the system take into account all effects of their actions, not just the effects on the part of the system they own [Joskow and Schmalensee 1983: 63].

FIGURE 1
EFFICIENCY WITH EXPERIENCED SUBJECTS



Experimental markets, in which all energy sales and purchases were expressed as offers to sell and bids to buy so that allocations were determined simultaneously given the physical properties of the grid, demonstrated that energy market deregulation was eminently feasible. Furthermore, short-run efficiency was high—on the order of 90–100 percent of the maximum economic surplus, or gains from exchange were achieved in markets with very few participants. Figure 1 shows a plot of efficiency for two experimental sessions consisting of a series of 30 trading periods using experienced subjects in a 3-node radial network with 4 bulk buyers and 6 gencos (Backerman, Rassenti, and Smith 1997). Why are there no important efficiency losses due to short-run externalities? The answer resides in the condition that all allocations are determined simultaneously. Power loss on shared transmission lines varies as the square of total power injected. Therefore, genco A suffers higher costs of energy loss if genco B is using the same line. But if optimization is based upon every agent’s marginal willingness to pay or to supply, with price and allocations determined simultaneously, then each agent bears the appropriate opportunity cost that his action imposes on all others at the margin. The problem is solved by the simultaneous submission of bid/ask schedules to which are applied algorithms for maximizing the implied gains from exchange taking account of system transmission losses.

But there are many other potential “external effects,” besides shared system energy losses, that in principle are or can be internalized via mechanisms that link bid/ask schedules with system con-

straints through rule governed coordination: (i) voltage “constraints” (as they are so treated, technically, in all operating systems today), requiring “reactive power” to be produced, and therefore priced in the market if such constraints are to be incorporated into the market process;³ (ii) intertemporal links on both the demand and generator sides of the market historically have implied the need for optimization over time, not just in the current spot market, but as shown by Kaye and Outhred (1989) and Kaye, Outhred, and Bannister (1990) the primary intertemporal coordination requirements can be met by forward markets; (iii) contingency provisions such as generator and transmission reserves to avoid blackouts from unscheduled equipment outages, and to avoid unstable cascades of outages that spread through the network.⁴

Turning to the second question, both regulation and government ownership have produced industries with a strong supply-side orientation. The politics of power yields a system in which (i) there are severe political repercussions if consumers “lose lights” too often, and (ii) consumers making decisions have no means of directly (or indirectly through wholesale markets) comparing the cost of new capacity with the cost of interruptions on peak or in emergencies. Consequently, adequate reserve capacity in generation and transmission requires supply-side investment sufficient to meet all demand, plus a large margin for security of supply. The regulatory and government-owned systems had no incentive to install technologies for relieving load stress by introducing time-of-demand pricing, and voluntary interruptible contracts for customers. For this to occur power users must have the real-time spot market capacity to either directly reduce

³Maintaining voltage to avoid “brownouts” requires generators, or special compensating devices, to provide local reactive power. Since generators can produce either reactive or active power (the latter is energy that does work) in variable proportions, (i) is a source of “externality” only if it is not priced, which is the universal practice inherited from centrally owned or regulated systems. We plan experimental designs to price reactive power as just another commodity.

⁴Generator (spinning) reserve can be supplied by a market for standby capacity in addition to the energy market. (See Olson, Rassenti, and Smith 2001 for an experimental study of such simultaneous markets). A simple such market (without network complications) is provided when you rent an automobile: if you use it you buy the gas in a separate energy market; if you do not use it then it is in standby reserve for contingent use. To maintain transmission reserves lines are typically constrained to carry much less than their thermal capacities by engineers whose zeal in minimizing the risk of losing a line, is not necessarily economical. A standard rule, based on $n-1$ analysis, is to set the capacity of each line in a network so that if any one line goes out the remaining $n-1$ lines can carry the peak load; if you want still more security $n-2$ analysis is applied and so on. Of course this approach begs the question of what price security. Can catastrophic insurance principles be applied with a variable premium that increases with monitored capacity utilization?

consumption in response to price increases, or indirectly by contract with the distributor to effect reduced deliveries in response to price increases. As we shall see below, the capability for interruption of energy flows must be expressible in the spot market if prices are to be adequately disciplined.

New Zealand

ESL's consulting work in New Zealand was directed entirely to questions of how a privatized NZ electrical industry, and a wholesale power market, might be structured. Intellectually, in the early 1980s, the sea change in issues of privatization versus government ownership and regulation was so drastic in the direction of economic liberalization that electricity reform seemed certain. The election of a new reform-committed Labour government was followed by a foreign exchange crisis the next day. All government enterprises had performed so poorly, and were such a drain on the Treasury that the country was soured on the "NZ (socialist) experiment." Everywhere in New Zealand, by 1991, were to be found people expressing the "user pays" principle as a slogan of reform.⁵ This exuberance, strong in the late 1980s and early 1990s is now much abated, even reversed.

New Zealand . . . retains large state-owned corporations that are suitable for privatization, but . . . its privatization activity has been muted for much of the 1990s. This decline reflects political perceptions of the privatization act as well as the resolution of property right issues, some of which arise from considerations of industry structure that is suitable for light-handed regulation, and some from the potential settlement of Maori claims on the crown [Evans 1998: 3].

ESL consulting for the New Zealand Treasury in 1991, and later for Transpower, NZ in 1993, created as the state-owned enterprise that maintained and operated the high voltage grid, emphasized privatizing transmission, transmission pricing, and demand-side bidding.

Privatizing Transmission

What might be the incentive and ownership structure that should be implemented for the New Zealand grid, and for the market dis-

⁵The impetus for reform was a drastic reduction in the performance of the NZ economy from 1953 to the late 1970s. New Zealand had the world's third-highest per capita income in 1953 (behind the United States and Canada but tied with Switzerland) and by 1978 had slipped to twenty-second (less than half the per capita income of Switzerland). See McMillan (1998).

patch center that would determine allocations of energy supply among decentralized generator owners who bid into the spot market?

Our recommendations had their genesis in our 1985 ACC study of cotenancy, but the basic idea—a cotenacy property right system—was substantially extended and tailored to fit the special physical properties of electric power flows in interconnected alternating current (AC) networks. Primarily these properties are twofold: (a) flows on individual links in the network cannot be precisely controlled because in AC networks there has not existed anything analogous to the valves on links in fluid and gas pipeline networks; (b) optimization in such networks requires knowledge of willingness-to-pay bid demand values at delivery nodes, offer supply terms at power injection nodes, and the physical properties (loss characteristics and capacity constraints) of all elements of the network. One can then solve simultaneously for the pattern of energy injections and deliveries that satisfy all demands and constraints while maximizing the short-run gains from exchange based on all such information. These two characteristics combined imply that it is not possible to specify well-defined path rights from any source node to and delivery node. The flow on a given path may be optimal at one time, but with a change in the supply and demand pattern, and with different transmission constraints binding, the flow on that path may be much different, even reversed at another time.

We proposed that these characteristics of the electricity industry be supported by a property right regime with the following commensurate features when the system is privatized as a joint (competitively ruled) venture, or cotenancy, owned by all users.

(a) At each energy injection node is connected a set of generators with some specified capacity that has occurred in history up to the time of privatization. That capacity is assumed to reflect the benefits, based on historical utilization rates, and site value of locating the capacity where it resides.

(b) Similarly, each delivery node will have associated with it a capacity to withdraw power.

(c) Rights to inject (or withdraw) power at each node can then be defined and certificated in capacity terms based on historical investment.

(d) Each generator has the right to submit a bid supply schedule indicating the various quantities the supplier is willing to inject at corresponding stated asking prices, where the schedule is restricted not to exceed a total offer of that generator's capacity rights at its connection node. How much of this offer is accepted by the dispatch center, depends on the offer terms of competing suppliers at the

same or other nodes, the nodal pattern of demand, and the physical properties of the grid at any time. Stability, security and voltage considerations may require certain key generator offers to be accepted in exception to the general merit order rule that the lowest priced generators have priority over higher priced ones. Such key generators are likely to change with the network load configuration. Thus, each generator merely has a right to offer up to its capacity in units of power, not the right for the offer to be accepted. Such uncertainties are inherent in the nature of the system, and property rights must reflect these contingencies. Technological and institutional innovation may alleviate exposure to these risks, and such developments must be allowed, and have an incentive, to happen.

(e) These capacity rights can be freely traded, leased or rented to others subject only to contract laws applicable to any industry; but as in other industries, electricity may leave its own footprints on the form of those contracts.

(f) Any individual user in this structure, or any group of users forming a consortium, is free to invest in increasing the capacity of any line or lines in the system. Those making the investment will acquire rights, as in (c)–(e) above, to any increase in capacity at individual nodes that is made possible by the investment. Any such increases in capacity will be uncertain, and based on imperfect engineering simulations that are commonly used to evaluate and site capacity expansions.

(g) Finally, since incumbent users may not be well motivated to expand capacity, the covenants cannot prevent the entry of new investors who invest in line capacity expansion, and acquire rights to the consequent increase in nodal rights to inject (or withdraw) power.

Transmission Pricing

Given the joint ownership structure indicated above, all users share output-invariant operating and maintenance costs in proportion to their respective capacity rights. The primary variable cost of transmission is the energy lost in the transfer of power from source nodes to delivery nodes. This loss (per mile of line) in high voltage lines varies approximately as the square of energy injected—less energy is received than is sent. Hence, if the average loss per unit is A (usually a number between .02 and .2) for a given line, the marginal loss is $M = 2A$. This implies that if the price at an upstream injection node is P , then at any downstream node the price is $P' = P + PM$, i.e. the delivery price is the price at the injection point plus the marginal cost of energy lost in delivery. Note that PM is the true opportunity cost

of energy lost in transmission, and all buyers served by remote generators must pay this cost in an efficient energy supply network. On long lines where the average loss at peak demand can be up to 20 percent ($A = .2$), the nodal price difference, $P' - P = 2AP$ can be up to 40 percent of the delivered price.⁶

Demand-Side Bidding

Competition is greatly enhanced if wholesale buyers can bid into the spot market using discretionary demand steps that define price levels above which they are prepared to interrupt corresponding blocks of power consumed. As we shall see, demand-side bidding also reduces price spikes on peak. Moreover, interruptible flows can substitute for security reserves of generation capacity, while reducing the prospect that transmission lines will become constrained.

New Zealand deliberations on structuring the grid continue. However, the functions of the spot market, called the New Zealand Electricity Market (NZEM), have been structured as a ruled-governed joint venture. (For a detailed report see, Arnold and Evans, 2001; also see NZEM 1999). Only three countries have implemented policies requiring the grid users to fund investment expansions: Chile, Peru, and Argentina. In all three cases, however, the multiple owners operate under regulated prices (Kleindorfer 1998: 69). Thus, no country has implemented a completely privatized grid regulated only by property rights, nor is this likely to be achieved in the near future.

Although our fledgling proposals for structuring joint ownership of the grid have not been implemented, and indeed require a lot more intensive work to be operational, the New Zealand spot market implements both the marginal loss pricing of transmission and demand-side bidding. It is important, however, to note that nodal energy pricing in New Zealand does not provide ex ante real-time prices that can be avoided by action of buyers and sellers in the current period. Prices are an ex post cost recovery and distribution scheme, and effect decisions only insofar as events/conditions are repeated and anticipated by decision makers. The same is true for the systems implemented in California and the Middle Atlantic regions in the United States. This is partly the result of industry traditions in which people

⁶As a practical matter, because of the cost of metering and monitoring, network pricing always involves a certain amount of aggregation of subsystems into representative nodes or paths. Hence, the above principles are indeed conceptual, and only imperfectly captured in any actual operating system. Moreover, low voltage distribution systems do not follow the square loss law rule at all well, and losses are commonly averaged across the high density of users.


think of prices as cost recovery devices rather than signals of avoidable opportunity costs, and partly a consequence of implementing the appropriate technology and institutional arrangements. New Zealand, however, is moving to implement true avoidable cost pricing as used now in Australia (see below).

Marginal cost pricing of transmission is politically very difficult to implement in democratic regimes—three other countries (Chile, Peru, and Australia) have adopted it (Kleindorfer 1998: 69). Strong political pressures favor averaging transmission losses across all customers. This creates an incorrectly priced external effect that is avoidable by appropriate specification of property right rules, and illustrates one of the many externality problems *created, not solved* by collective action. With minor exceptions averaging losses over all customers was the universal practice in both state owned and American style regulatory regimes, and this practice dies very hard. People do not understand the opportunity cost/efficiency principle here: each agent pays the cost that his consumption imposes on others, thereby eliminating external effects. But collective agreement is necessary to implement the application of this principle to grid pricing. (Note that the principle creates no problem in the airline or accommodation industries, where on-peak prices emerge spontaneously in competition, à la Hayek's 1945 perceptive argument, and collective agreements are not needed. This illustrates one of the many hazards in decentralizing interdependent network industries using some collective agreement process.)

Most of the New Zealand population and electricity demand is on the North Island, while most of the generation capacity is on the South Island. It is some 900 miles from the bottom of the South Island, where the most remote generators are sited, to the top of the North Island, where the largest concentration of population is located (Auckland). Consequently, at peak demand, with no constrained lines causing a further price difference due to congestion, there is a price difference of approximately 33 percent between the two most remotely separated nodes. Figure 2 provides a chart of New Zealand electricity prices at the inter-island link, Haywards and Benmore in the South (not at the two extreme nodes), for the winter months of July and August, when the heating demand for energy is greatest.

Relevant to demand-side bidding the New Zealand Electric Market (NZEM) rules specify that "Each trading day, each Purchaser Class Market Participant will submit to the Scheduler the bids pursuant to which . . . (that Participant) . . . is prepared to purchase Electricity from the Clearing Manager for each trading period of the following trading day" (NZEM 1999: B.2.1). Such bids specify the relevant

FIGURE 2
AVERAGE ENERGY PRICES IN NEW ZEALAND, 2000



SOURCE: Chart was downloaded from www.m-co.co.nz/C2dPricesMonth/000905.htm.

trading periods, the grid exit node, must represent reasonable endeavors to predict demand, and specify up to 10 prices (price steps or “bands”) and corresponding quantities. There are no upper or lower limits on prices “The highest price band for each bid will be deemed to start at a quantity of zero” (NZEM 1999: B.2.3). Note that this provision defines the strike price where the Marshallian bid demand schedule intersects the price axis. Since the technology for interrupting flows is limited, these provisions of the NZEM are currently little used (as reported to us in private conversation with Lewis Evans at Victoria University, NZ), but the institutional stage is set for more extensive demand-side bidding as the appropriate technology becomes more available and cheaper. They will become more significant when New Zealand implements real-time pricing.

Australia

We were invited to visit Australia in 1993 by Prospect Electricity (now part of Integral Energy) in New South Wales, the second largest distribution company in that state. Australia, unlike New Zealand

(initially), was not committed to privatizing electricity, although the political debate had begun. Rather, the commitment was to decentralization, setting up a national wholesale market. This was the charge of the National Grid Management Council (NGMC). (Privatization if it occurred was the providence of the states, which were the owners of existing power system assets. All generation, transmission, and distribution systems remain publicly owned even today, with the exception of Victoria where all are privately owned, while South Australia has executed 200 year leases of its assets to private entities.)⁷ It was during this visit that we learned that the constituency for privatization was made up of bulk buyers—commercial, industrial, and distribution companies—who expressed the belief that the state government-owned electricity industries were producing power at exorbitant cost, and this was hampering the ability of Australia's energy intensive industries to compete in world markets. Primarily our sponsors consisted of the buyer side of the industry, and our task was to supply market information and deliver demonstration technology: give lectures, seminars and conduct experimental workshops with a wide spectrum of industry and government representatives who would participate in our prototype wholesale electricity experiments, demonstrating feasibility, efficiency, and possible structural features for a decentralized wholesale market, with the extent and form of decentralization yet to be determined. These lectures and workshops were well attended, but with understandably more enthusiasm coming from the demand side than the supply side. Such was the political environment as we saw it.

Subsequently, the central government created the National Grid Management Council to plan and oversee a wholesale energy market embracing the states, integrated by a national interconnected grid. This led to a controversial "paper trial" (cost, \$2 million) in which participants walked through proposed procedures for bidding and clearing in a spot energy market. Our Australian contacts pressed, and won, approval to conduct laboratory experiments with a prototype for the proposed market. We were consultants on software specifications, and experimental design, but with all development and experiments to be conducted in Australia. This ultimately led to a two-week (7 hours per day) electronic trading experiment using nonindustry participants trained in the exchange procedures, and earning significant cash profits based on induced costs, and demands, and on Australian parameters and grid characteristics. We advised against using any

⁷Based on private correspondence with Hugh Outhred.

industry participants because of their known political biases for or against the impending market reforms.

On December 13, 1998, the National Electricity Market began trading Australian electricity. Prior to that period separate markets traded power in the States of Victoria and New South Wales as early as 1996.

In summary, experimental methods in economics served to facilitate the development of a wholesale electricity market in Australia in the following ways:

1. It provided a pre-1991 experimental database demonstrating the feasibility of using a smart market, price signals to coordinate production and transmission over huge geographical areas, and to help inform the political decision process.
2. Treatment results from specific experimental designs suggested that overall market efficiency, price volatility and the distribution of surplus among the buyers, sellers and the transmission system were significantly impacted by the following: transmission and auction market pricing rules, whether or not there was demand-side bidding, and whether or not transmission line constraints were binding.
3. As noted in communication with Hugh Outhred, the new experiments “at UNSW also demonstrated the importance of forward markets in containing market power” (see Outhred and Kaye 1996).
4. It provided hands-on experience and training for managers and technical staff, and alerted the principal agents involved in the wholesale market to some of the potential design issues in the process.
5. It enabled the Australians to go through the process of market prototype software development, to conduct experiments using Australian grid and generator cost parameters, and to learn much more about how their proposed market system might work prior to actual trading in Victoria and New South Wales.

The wholesale market in Australia has implemented features that make it among the most advanced anywhere from the perspective of reflecting good economic design principles, although it is important to emphasize that those principles are under ongoing review and modification in the light of changing experience and technology. We mention two features central to the issues discussed above that were in the National Electric Code *prior* to their experiments (quoted from personal correspondence with Hugh Outhred, February 2, 2001):

- (a) “Network pricing in Australia does incorporate marginal network losses in the following manner: the ‘notional interconnectors’ between regions include . . . (adjustment for) . . . marginal losses . . . directly into the process for setting five-minute prices; inter-regional transmission loss factors are set annually on the basis of average marginal network losses (the averaging period may be shortened at some future time) . . .” Hence, the loss factors, as such, are not based on current real-time conditions, as are the flows to which the factors are applied.
- (b) “The Australian National Electric Market Rules (NEM) . . . (also) . . . incorporate the demand side—both formally as bids . . . and informally as price elasticity. The latter option exists because: half-hourly prices are forecast at least 24 hours ahead and broadcast to all market participants (supply and demand side); participants can change their bids and offers from the time of their original submission (one day ahead) down to the half hour to which they apply; the actual spot price is set in ‘real-time’ and broadcast to all participants—a consumer can simply reduce demand in response to that price signal and thus avoid paying the price. That facility is now being used in practice, both by a consumer participating directly in the NEM and by retailers backed up by discretionary demand reduction contracts with final consumers.” It is evident, however, that “much more development (is) needed” [Outhred 2001: 20].

The United States


The deregulation of electricity did not impact the United States until privatization/decentralization reform was well advanced abroad. Viewed from the perspective of those of us interested in market design for deregulation, the U.S. experience has been disappointing, and the design details heavily politicized. At the start, the industry strongly opposed deregulation. Nothing new here, as the same was predominantly true for airline, gas, railroad, and trucking deregulation. But with electricity there was the need for state or regional *collective agreement* on how the industry would be restructured, and what rules would govern market operation since there was clear need for computer coordination of generator loads to meet instantaneous demand on highly interconnected networks. (No need for such agreement in the deregulated airline industry. The routes no longer had to be certificated, the industry was regulated by free entry and exit, and what emerged spontaneously in response to the demand for frequent low-cost service was the hub-and-spoke structure that was anticipated and deliberately planned by no one.) Originally, for example circa 1985 when we finished our ACC report, the industry had argued that deregulation was not technically feasible, but that proposition had

been shot down all over the world by decentralization programs none of which had followed American style rate of return regulation. There were various forms of “light-handed” regulation such as price caps on charges for the “wires” business—high voltage transmission or local low voltage distribution—but energy was being priced competitively limited only by technology and the state of learning. No one abroad wanted to use the American model, which was perceived to be broken just as badly as the state owned or dominated models that were being reformed.

In this environment, once the writing was on the wall, the utilities focused not on questions of market design and efficient spot markets, but on lobbying for fixed new monthly charges to cover their alleged “stranded costs.” This was price design for revenue protection not *market* design for efficiency. Most economists seemed to accept the need for such compensation, either because it was “fair” for utilities to recover the cost of investments made in good faith under a regulatory regime that was being replaced (Baumol and Sidak 1995), or because it was considered the political price to be paid for utility support for deregulation (Block and Leonard 1998). Since the utilities were already privately owned, had long engaged in bilateral economy energy exchanges, and energy marketers, or intermediaries, had emerged to facilitate such contracts, there was opposition to the very idea of an open spot market. Bilateral interests wanted to report only origin and destination flows to schedulers, with prices remaining proprietary. Ironically, the bilateral special interest groups had been fostered by legislation intended to move the industry toward market liberalization: the Public Utility Regulatory Policies Act of 1978, and the Energy Policy Act of 1992. These initiatives were designed to facilitate transmission access by independent power producers as a step toward fostering the development of wholesale power markets. (Bear in mind that such access was being opposed by some utilities, and federal action was seen as necessary). The bilateral trading model was promoted, partly because of its perceived success in reforming the gas industry, but also because gas marketing intermediaries wanted to expand into electrical energy markets. California followed the bilateral model in restructuring electricity. We long regarded this model as misguided: bilateral bargaining in the electronic age could not provide the foundation for an efficient market model of interdependent (pipeline or transmission) networks.⁸ California, however,

⁸For a critique of this trend see Smith (1987, 1996), and for studies of smart computer assisted markets in gas pipeline networks see McCabe, Rassenti, and Smith (1989, 1990), and Rassenti, Reynolds, and Smith (1994).

FIGURE 3
CALIFORNIA PX PRICES



did require the demand of the Investor owner Utilities to be processed through the CalPX, but these demand quantity bids were “at market” (pay whatever is the supply-side asking price that clears the market); they were not price contingent bids implemented by interruptible service contracts.

Thus, in California and elsewhere, the new “wires” utilities succeeded in instituting new fixed monthly charges to cover their stranded costs, and fixed per unit energy charges for retail customers, but no one was preparing for and investing in the technology for demand-side bidding as an instrument to discipline prices in the hourly spot market and to provide incentives for users to reduce demand or switch their time-of-day consumption from higher to lower cost periods. Imagine what would be the consequences to the airlines, and all of their passengers, if, in order to be licensed, airlines were required to charge all passengers an identical regulated monthly access fee and a fixed price per mile traveled, *independent of flight destination, time of day, time of week, season or holidays, and independent of the flier’s willingness to pay!*


Figure 3 illustrates a typical 24-hour period of price variation on the California PX (their open spot market exchange). Since most of the power was either traded via bilateral contracts at secret prices, not part of the spot market, or through the PX as bids “at market,” demand was not price responsive. Observe in Figure 3 that the peak

demand and most of the “shoulder” transition demand (between peak and off peak) are at prices above 10 cents per kilowatt (\$100 per megawatt), and are therefore far in excess of what local distributors collect from their residential customers. There are numerous other examples of on-peak price spikes of up to 10 or more times the normal energy prices (in the \$25–\$30 per megawatt range). (See the Bloomberg Daily Power Report, online, Summer 1999 for a report on sharp price spikes in the Midwest and South.) These price differences imply an enormous rate of return on investment in contracts for voluntary selective interruption of energy deliveries, with gains shared by both the distributor and its customers.

Demand-Side Bidding Controls Market Power and Price Spikes

Earlier experimental market research, cited above, used demand-side bidding, and we observed very competitive results. New experiments study this issue much more systematically in the design reported by Rassenti, Smith, and Wilson (2000) comparing prices with and without demand-side bidding. Bulk buyers submit discretionary bid steps reflecting the prices above which they are prepared to reduce demand by invoking their contracts for interrupting deliveries. It is important in a competitive electricity market that bulk energy providers contract for *discretionary* interruption of (suitably compensated) consumers. Why? Because then their bids in the wholesale market cannot be known with certainty by the supply-side bidders, and demand-side bidding can better deter supply-side market power. The problem created by inadequate price responsive demand in a supply-side dominated auction can be illustrated with the chart shown in Figure 4, due to Outhred. In such a market, the clearing price is sensitive to the asking prices submitted by peaking generators in short supply, especially near peaks in demand. Thus, in Figure 4, the price is \$15 per MW with demand 7,700 MW, but if demand had been 8,000 MW, the spot price would have been \$45 per MW, and at a demand level of 9,000 MW, the price would have been indeterminate forcing the dispatch center to use security reserves or to involuntarily interrupt customers. Unquestionably, many consumers would have been prepared to reduce demand to avoid such a price spike, provided that they had been given the opportunity and incentives commensurate with the savings. In the United States are such conditions to be judged a problem in supply-side market power, or an institutional and incentive failure of the market mechanism to implement responsive demand? The tendency is to blame market power although in another industry—hotel/motel accommodations, or airline

FIGURE 4
PRICE DETERMINATION IN THE AUSTRALIAN
ELECTRICITY MARKET




SOURCE: This graph is drawn from Hugh Outhred's presentation entitled "Australia: Spot Trading Results and Implications for Ancillary Services," 5 January 2000. The data are for the 17 May 1996, targeting 2000.

seat pricing, where the product also is nonstorable—demand is strongly responsive to time variable competitive prices.

Figure 5 plots experimental data comparing prices with and without demand-side bidding over the course of 5 "days" of trading. Each day in an experiment consists of a cycle of four demand pricing periods: shoulder, peak, shoulder, and off peak. Hence, the experiments consolidate the shoulder transitions, peak, and off-peak hours (shown in Figure 3) into four simpler time blocks for auction price determination. Note that when there is no demand-side bidding, prices are much increased, well in excess of the controlled experimental competitive prices, especially on the shoulder and peak demand periods. Both generator "market power" and upward price spikes are effectively controlled by the introduction of demand-side bidding leaving all other features of the market unchanged. In these experiments a very modest proportion (16 percent) of peak demand is interruptible by wholesale buyers; most of the on peak demand (84 percent) is what the industry calls firm or "must serve" demand.

FIGURE 5
AN EXAMPLE OF THE EFFECT OF DEMAND-SIDE BIDDING




The chart in Figure 5 plots the data from just one of four independent experimental comparisons reported in Rassenti, Smith and Wilson (2000). Figure 6 provides a bar graph summarizing all of the experimental results. With demand-side bidding the average level of prices is reduced in all segments of the daily demand cycle, while the great variability in price changes is nearly eliminated.


Implications for Electricity Deregulation in the United States

The computerization of laboratory market experiments using profit-motivated human subjects in the 1970s unexpectedly revolutionized our thinking about the purpose and uses of experiments. In particular we soon came to recognize that the laboratory could be used to test-bed new electronic trading systems for application to industries traditionally perceived as requiring hierarchical organization and government regulation to achieve proper coordination and control over the resulting legally franchised monopolies. Electricity was a prime example, and we attempted to use our first experience with what we called “smart computer assisted markets” to inform Arizona’s cautious and tentative interest in restructuring its electrical industry to rely on markets to regulate the energy segment of the industry. Failing at the time to influence policy, our effort was not

FIGURE 6
 PRICES AND VOLATILITY WITH AND WITHOUT
 DEMAND-SIDE BIDDING



Variance of Changes in Price from Day to Day



ignored abroad, and we participated as consultants in developing proposals and the use of experiments to help inform some of the key research issues in decentralization, and to serve as a hands-on training tool for those managing the transition. Decentralization required the creation of new property rights: a governance structure and efficient pricing for the grid, generator entry and exit rules, market rules governing messages and contracts in the context of computer controlled coordination, optimization, and communication, but with all outcomes driven by the decisions of dispersed agents whose circumstances of time and place were reflected in market bids to buy or offers to sell.

In the United States the industry was already privatized, but subject to centralized state and national price regulation based on a “fair” return on investment. With the proposed deregulation of electric utility prices and consumption each state or region needed to develop a plan for restructuring their industry and specifying the auction market rules for determining the real-time wholesale price of energy. Without exception, the resulting market designs, hammered out by regulators, consultants, industry representatives, and various power-marketing intermediaries, all employed supply-side bidding mechanisms for the hourly spot market. These spot markets were supplemented with wide ranging freedom for power users, producers, and intermediaries to engage in a variety of bilateral contracts outside of direct price discipline by the spot market. For the spot market this supply-side emphasis meant that any user, regardless of the individual circumstances of that consumer’s need for an uninterrupted flow of energy, would be guaranteed that this demand would be served. Bilateral contractors could agree to allow various degrees of firmness of demand to impinge on contract terms. But in this longer-term contract market prices are negotiated and secret, and are not subject to the direct real-time opportunity cost constraints provided by the spot market.

The “must serve” demand policy in the spot market was inherited from a rigid regulatory regime that politicized the reliability of electricity flows to all consumers, whatever the cost. This cost was collectivized by averaging it across all users regardless of individual consumer differences in willingness-to-pay for keeping the lights on. The local utility was expected to maintain service, or restore it quickly, even in inclement weather, spreading the cost of this super-reliability thinly over all customers. This cost included the maintenance of substantial reserves in generation and transmission capacity. Thus system reliability and the capacity to satisfy all retail demand were exclusively a supply-side adjustment problem. In providing this superior service

to all, the supply side was always justified in claiming 100 percent cost recovery plus a fair profit. The consequence of this supply-side mindset was uncontrolled cost creep that increased to a gallop and ultimately became part of the political outcry for deregulation. Implicitly, however, the process of deregulation assumed that this built-in supply-side bias did not require fundamental rethinking when it came time to design spot markets for the new world of competition. As always in market institutions, the devil was in the details.

Beginning three years ago in Midwestern and Eastern markets peak prices hit short-run levels of 100 or more times the normal price level of \$20–\$30 per megawatt hour. This was the predictable direct consequence of *completely unresponsive spot demand impinging on responsive discretionary (bid) supply*. More recently the California spot market has been plagued by exorbitant increases in prices as illustrated in Figure 3. This has led to political action to impose price caps on this market, which, of course, can only discourage a positive supply response to the shortages. The move to replace American-style regulation with what may become known as American-style deregulation is in danger of being derailed by these interventions.

Controlled comparisons between markets with and without demand-side bidding, in which only 16 percent of peak demand can be voluntarily interrupted, show that the effect of demand-side bidding can dramatically lower both the level of prices and their volatility.

The public policy implications are evident: wholesale spot markets need to be strengthened institutionally by making explicit provision for demand-side bidding. Distributors need to incentivize more of their customers to accept contracts for voluntary power interruptions, or use time of day meters and load control systems to manage their own price responsiveness. Industrial and commercial buyers who already have the capacity to handle interruptible energy supply, but who contract outside the spot market need adequate incentives to participate in the spot market where their more responsive demands can impact public prices. Distributors stand to gain by interrupting demand sufficiently to avoid paying higher peak and shoulder spot prices, and these savings can be used to pass on incentive discounts to customers whose demand, or portions of it, can be reduced or delayed to off-peak periods when supply capacity is ample. In California, news reports indicate that distributors have lost some \$10 billion buying high (Figure 3) and selling at vastly lower residential rates.

The technology and capacity for implementing such a policy already exists and can be expanded. This policy recognizes that adjustment to the daily, weekly, and seasonal variation in demand, and to the need to provide adequate security reserves, is as much a demand-

side problem as it is a supply-side problem. The history of regulation has created an institutional environment that sees such adjustment as exclusively a supply responsibility, and views prices as an ex post means of cost recovery. The result is an inefficient, costly and inflexible system that has produced the recent price shocks and involuntary disruption of energy flows. Demand-side bidding and price feedback coupled with the supporting interruptible-service incentive contracts can eliminate unjustified price volatility, price increases and reduce the need for reserve supplies of generator and transmission capacity.

References

- Arnold, T., and Evans, L. (2001) "The Law and Economics Basis of Enforcement of Governance of Private Joint Venture Networks: The Case NZEM." (Forthcoming in *The Antitrust Bulletin*.)
- Backerman, S.; Rassenti, S.; and Smith, V. (1997) "Efficiency and Income Shares in High Demand Energy Network: Who Receives the Congestion Rents When a Line Is Constrained?" (Forthcoming in *Pacific Economic Review*.)
- Backerman, S.; Denton, M.; Rassenti, S.; and Smith, V. (1997) "Market Power in a Deregulated Electrical Industry." (Forthcoming in *Journal of Decision Support Systems*.)
- Baumol, W., and Sidak, J. G. (1995) *Transmission Pricing and Stranded Costs in the Electric Power Industry*. Washington: AEI Press.
- Block, M.; Cox, J.; Isaac, R. M.; Pingry, D.; Rassenti, S.; and Smith, V. (1985) "Alternatives to Rate of Return Regulation." Final Report of the Economic Science Laboratory, University of Arizona, to the Arizona Corporation Commission (15 February).
- Block, M., and Lenard, T. (1998) *Deregulating Electricity: The Federal Role*. Washington: Progress and Freedom Foundation.
- Cox, J., and Isaac, R.M. (1986) "Incentive Regulation." In S. Moriarity (ed.) *Laboratory Market Research*, 121–45. Norman, Okla.: University of Oklahoma Press.
- Denton, M.; Rassenti, S.; and Smith, V. (1998) "Spot Market Mechanism Design and Competitiveness Issues in Electric Power." *Proceedings of the 31st International Conference on System Sciences: Restructuring the Electric Power Industry*. (Forthcoming in *Journal of Economic Behavior and Organization*.)
- Evans, L. (1998) "The Theory and Practice of Privatization." Working Paper, Victoria University of Wellington (August).
- Hayek, F. A. (1945) "The Use of Knowledge in Society." *American Economic Review* 35: 519–30.
- Joskow, P., and Schmalensee, R. (1983) *Markets for Power*. Cambridge: MIT Press.
- Kaye, R. J., and Outhred, H. (1989) "A Theory of Electricity Tariff Design for Optimal Operation and Investment." *IEEE Transactions on Power Systems* 4(2): 46–52.

- Kaye, R. J.; Outhred, H.; and Bannister, C. H. (1990) "Forward Contracts for the Operation of an Electricity Industry under Spot Pricing." *IEEE Transactions on Power Systems* 5(1): 606–13.
- Kleindorfer, P. (1998) "Ownership Structure, Contracting and Regulation of Transmission Services Providers." In H. Chao and H. Huntington (eds.) *Designing Competitive Electricity Markets*. Boston: Kluwer.
- McCabe, K. S., and Smith, V. (1989) "Designing 'Smart' Computer Assisted Markets in an Experimental Auction for Gas Networks." *European Journal of Political Economy* 5: 259–83.
- McCabe, K.; Rassenti, S.; and Smith, V. (1989) "Markets, Competition, and Efficiency in Natural Gas Pipeline Networks." *Natural Gas Journal* 6: 23–26.
- (1990) "Auction Design for Composite Goods: The Natural Gas Industry." *Journal of Economic Behavior and Organization* (September): 127–49.
- McMillian, J. (1998) "Managing Economic Change: Lessons from New Zealand." Graduate School of International Relations and Pacific Studies, University of California, San Diego (July).
- New Zealand Electricity Market (1999) *Rules of NZEM*. Wellington, NZ: The Marketplace Company, Ltd.
- Olson, M.; Rassenti, S.; and Smith, V. (2001) "Market Design and Motivated Human Trading Behavior in Electricity Markets." (Forthcoming in *IIE Transactions on Operations Engineering*.)
- Outhred, H. (2001) "Electricity Industry Restructuring in California and Its Implications for Australia." Report for the National Electricity Market Management Company (February).
- Outhred, H., and Kaye, R. J. (1996) "Structural Testing of the National Electricity Market Design: Final Report." Report for the National Grid Management Council, Unisearch (September).
- Rassenti, S. (1981) "0–1 Decision Problems with Multiple Resource Constraints: Algorithms and Applications." Unpublished Ph.D. thesis, University of Arizona.
- Rassenti, S.; Reynolds, S.; and Smith, V. (1994) "Cotenancy and Competition in an Experimental Auction Market for Natural Gas Pipeline Networks." *Economic Theory* 4: 41–65.
- Rassenti, S., and Smith, V. (1986) "Electric Utility Deregulation." In *Pricing Electric, Gas and Telecommunication Services*, 53–74. The Institute for the Study of Regulation (February).
- Rassenti, S.; Smith, V.; and Bulfin, R. (1982) "A Combinatorial Auction Mechanism for Airport Time Slot Allocation." *Bell Journal of Economics* 13(Autumn): 402–17.
- Rassenti, S.; Smith, V.; and Wilson, B. (2000) "Controlling Market Power and Price Spikes in Electricity Networks: Demand-Side Bidding." Working Paper, Economic Science Laboratory, University of Arizona.
- Reynolds, S. (1990) "Cost Sharing and Competition among Daily Newspapers." Department of Economics, University of Arizona (October).
- Smith, V. (1962) "An Experimental Study of Competitive Market Behavior." *Journal of Political Economy* 70: 111–37.

- (1982a) “Microeconomic Systems as an Experimental Science.” *American Economic Review* 72: 923–55.
- (1982b) “Markets as Economizers of Information: Experimental Examination of the ‘Hayek Hypothesis.’” *Economic Inquiry* 20: 165–79.
- (1987) “Currents of Competition in Electricity Markets.” *Regulation* 11(2): 23–29.
- (1988) “Electric Power Deregulation: Background and Prospects.” *Contemporary Policy Issues* 6: 14–24.
- (1993) “Can Electric Power—A Natural Monopoly—Be Deregulated?” In H. H. Landsberg (ed.) *Making National Energy Policy*. Washington: Resources for the Future.
- (1996) “Regulatory Reform in the Electric Power Industry.” *Regulation* 1: 33–46.
- Williams, A. (1980) “Computerized Double Auction Markets: Some Initial Experimental Results.” *Journal of Business* 53: 235–58.